

ORIGIN F-MAX

Specific formulation for preventive and curative treatment of white and rosé musts and wines with regard to oxidation.

CHARACTERISTICS

ORIGIN F-MAX is a next-generation fining agent made up of various active substances that act in synergy for the clarification and treatment of oxidation of white and rosé musts and wines

OENOLOGICAL PROPERTIES

- Reaction and precipitation of quinones, thus avoiding oxidasic casse and the possible loss of aromatic precursors. (Figure 1)
- Significant reduction of yellow and red colour. (Figure 2)
- Decreases astringency and removes bitterness.
- Selective absorption of oxidisable phenols.
- Removes heavy metals, especially copper, that catalyse oxidation reactions.
- Treatment of wines exhibiting oxidative change.




Figure 1: Impact of **ORIGIN F-MAX** on concentration of oxidisable compounds (OD 320)




Figure 2: Impact of **ORIGIN F-MAX** on yellow (OD420) and red (OD520) colour

APPLICATIONS

- **ORIGIN F-MAX** is recommended for the treatment of white and rosé grape musts.
- **ORIGIN F-MAX** can be used in flotation **without addition** of another fining agent.
- **ORIGIN F-MAX** can be used for the treatment of first-pressing and second-pressing musts in traditional methods.
- **ORIGIN F-MAX** can be used to refresh mature wines.

DOSAGE

Recommended doses:

Still wines:

On free-run juice: 30 to 50 g/hL

On pressed juice: 75 to 100 g/hL

Sparkling wines:

On first pressing juice: 30 to 50 g/hL

On second pressing juice: 75 to 100 g/hL

To eliminate copper:

for copper concentrations under 4 mg/L: 30 g/hL

for copper concentrations from 4 mg/L to 6 mg/L: 50 g/hL

for copper concentrations exceeding 6 mg/L: 80 to 100 g/hL

Maximum legal dose according to current legislation: 120 g/hL

249/2016 - 2/3

SAS SOFRALAB - 79, av. A.A. Thévenet - CS 11031 - 51530 MAGENTA - France
Tél. : + 33 3 26 51 29 30 - Fax : + 33 3 26 51 87 60 - www.martinvialatte.com

INSTRUCTIONS FOR USE

Dissolve **ORIGIN F-MAX** in 10 times its weight of water. Let it swell for 2 hours and add to the must using a closed system with a fining connector.

Precautions for use:

The treatment must be recorded in the cellar register and must be used under the supervision of a qualified oenologist or technician.

Product for oenological and specifically professional use.

Use in accordance with current regulations.

PACKAGING

1 kg bags

STORAGE

Store unopened, sealed packaging away from light in a dry, odour-free environment. Once opened use rapidly.

Use before best-by date stamped on packaging.

The information provided above is based on our current state of knowledge. This information is non-binding and without guarantee, since the conditions of use are beyond our control. It does not release the user from complying with existing legislation and safety data. This document is the property of SOFRALAB and may not be modified without its agreement.